



<b>Datasheet</b>		<b>SOCKET</b>
<b>Product</b>	<b>V96</b>	<b>Country of Origin: The Netherlands</b>
<b>Article code</b>	<b>338100200</b>	
		 <p> P.O. Box 7023  3502 KA Utrecht  The Netherlands  <b>T</b> +31 (0)30-288 13 11  <b>F</b> +31 (0)30-289 88 16  <b>E</b> sales@nieaf-smitt.nl  <b>I</b> www.nieaf-smitt.nl </p>



**Description**  
Soldering base for soldering wires.  
Suitable for KDN, KDN-U, D8 and D8-U relays

<b>Contact rating</b>	<b>10 A (AC1)</b>	<b>IEC 947</b>
<b>Dielectric strength</b>	<b>2500 V; 50 Hz; 1 min</b>	<b>IEC 255/ IEC 571</b>
<b>Protection category</b>	<b>IP 20, relay-side</b>	<b>IEC 529</b>
<b>Mounting</b>	<b>panelmounting</b>	
<b>Max ambient temperature</b>	<b>80 °C</b>	
<b>Weight</b>	<b>V96 75 g</b>	
<b>Wire diameter</b>	<b>max. 1.5 mm</b>	
<b>Material</b>	<b>Polyamide 6.6 30 % glass</b>	<b>Class 2 according to NF F 16-101 and 102</b>
<b>Options</b>	<b>Key possibility</b>	
<b>Accessory</b>	<b>Key receptacle A104</b>	

**Australian Distributor**



**Relay Monitoring Systems Pty Ltd**  
6 Anzed Court  
Mulgrave, Victoria, 3170, Australia

Phone: +61 3 8544 1200  
Fax: +61 3 8544 1201  
Email: [rms@rmspl.com.au](mailto:rms@rmspl.com.au)  
Web: [www.rmspl.com.au](http://www.rmspl.com.au)