




# *1X30K2 Test Manual*

## *Trip Circuit Supervision Relay*

relay monitoring systems pty ltd

---

### **Advanced Protection Devices**



User Guide



Test Manual



# 1X30K2 Test Manual

## Links to Other Documents

---

- Technical Bulletin: <http://www.rmspl.com.au/handbook/1X30.pdf>
- User Guide: [http://www.rmspl.com.au/userguide/1X30\\_user\\_guide.pdf](http://www.rmspl.com.au/userguide/1X30_user_guide.pdf)
- Application: [http://www.rmspl.com.au/solutions/1X30\\_application.pdf](http://www.rmspl.com.au/solutions/1X30_application.pdf)
- Acad Case Drawings: <http://www.rmspl.com.au/1X30acad.htm>

## Test Certification

---

This is to certify that the equipment detailed below has been manufactured, inspected & tested in accordance with a Quality System which complies with the requirements of AS/NZS ISO9001-2000.

Order Number	Serial Number

Only valid when the "Passed" box has been signed off by Production Personnel.

## Version Control

---

Issue	Date	Summary of changes
A	08/06/2006	Initial issue.

Due to RMS continuous product improvement policy, this information is subject to change without notice.  
This document is uncontrolled and subject to copyright.

Author	Checked & Registered	.pdf file created	Released
ERL	DG	DG	



**1.0 HARDWARE SPECIFICATIONS – 1X030K02 [C][B][A]**

**1.1 Supervision Voltage**

[C] 32VDC

**1.2 Supervision Scheme**

[B] Green LED. Normal = ON

**1.3 Custom Front Panel Label**

[A] Required. Details from customer.

**1.4 Non-Standard Features**

Hardware specifications not described in Technical Bulletin. None

**2.0 VERIFICATION**

This is to certify that the equipment has been manufactured, inspected and tested in accordance with a Quality System, which complies with the requirements of ISO9001: 2000.

Testing has been carried out against the declared performance specification 156-030-800 and in accordance with the relevant International (IEC) Standards.

PASSED BY	DATE

**3.0 CONNECTION DIAGRAM**

