



2P49K11 Test Manual

Phase Failure Relay

relay monitoring systems pty ltd

Advanced Protection Devices



User Guide



Test Manual



2P49K11 Test Manual

Links to Other Documents

- Technical Bulletin: <http://www.rmspl.com.au/handbook/2P49.pdf>
- User Guide: http://www.rmspl.com.au/userguide/2P49_user_guide.pdf
- Application: http://www.rmspl.com.au/solutions/2949_application.pdf
- Acad Case Drawings: <http://www.rmspl.com.au/2P49acad.htm>

Test Certification

This is to certify that the equipment detailed below has been manufactured, inspected & tested in accordance with a Quality System which complies with the requirements of AS/NZS ISO9001-2000.

Order Number	Serial Number

Only valid when the "Passed" box has been signed off by Production Personnel.

Version Control

Issue	Date	Summary of changes
A	21/01/2005	Released.

Due to RMS continuous product improvement policy, this information is subject to change without notice.
This document is uncontrolled and subject to copyright.

Author	Checked & Registered	.pdf file created	Released
ERL	DG	DG	

1.0 HARDWARE SPECIFICATIONS – 2P049K11 [A][B][B][A][S]

1.1 Sensing Supply

[A] 110V 50Hz

1.2 Time Delay

[B] Not required

1.3 Output Contacts

[B] 6R, Magnetic Blowouts

1.4 Hand Reset Flag

[A] Required

1.5 Non-Standard Features

Hardware specifications not described in Technical Bulletin.
5C/O output contacts.

Code [S]

2.0 VERIFICATION

This is to certify that the equipment has been manufactured, inspected and tested in accordance with a Quality System, which complies with the requirements of ISO9001: 2000.

Testing has been carried out against the declared performance specification 162-049-800 and in accordance with the relevant International (IEC) Standards.

PASSED BY	DATE

3.0 CONNECTION DIAGRAM

